

Phoenix Classico Antique Brass Single Handle Kitchen Sink Faucet



PRIOR TO INSTALLATION

Please read installation instructions below. All plumbing should be installed in accordance with applicable building codes and regulations.

Unpack and inspect the items for any shipping damages. If you find damages, do not install.

All products must be installed by a professional and certified plumber otherwise warranty may be voided.

POSSIBLE TOOLS REQUIRED*



Plumbers Tape



Tape Measure



Level



Adjustable Wrench



Hex Wrench



Thread Sealant



Drill



Pencil or Marker




Screwdriver

*not included

Installation Instructions:-

1. Slide the base plate onto the threaded pipe and fix O-ring into the base plate.
2. Screw waterlines into the corresponding screw-hole of faucet body.
3. Insert waterlines and threaded pipe through the drilled hole of the countertop.
4. Put rubber washer onto the threaded pipe, screwing in mounting nut.
5. Place faucet body correctly and fix with mounting nut tightly.




Making the water supply connections

CAUTION: The hot and cold inlet tubes are indicated by their colors: red means hot and blue means cold. Avoid twisting wires together or placing the wires close to each other and damaging.

- Thread the nut on the supply hose(G) onto the outlet of the water supply valve and tighten with a wrench.

Do not overtighten.



Flushing and checking for leaks

CAUTION: After installation is completed, turn on the hot and cold water supplies. Check for leaks.

- Turn on the water supply and the faucet handle. Flush the water for one minute. This flushes away any debris that could cause damage to internal parts.
- Check all connections part for leaks. Re-tighten any connections if necessary, but do not overtighten.

Care and Cleaning

- To clean, wipe down with a damp cloth and dry with a towel.
- Do not use abrasive cleaners, steel wool, or harsh chemicals when cleaning this faucet, or the warranty will be voided.